



**HELIOS LABORATOIRES
BELGIAN COMPANY
SCIENCE IS OUR PRIORITY**

DISCOVER US



**HELIOS
LABORATOIRES®**

COMPANY PROFILE

HELIOS LABORATOIRES is a pharmaceutical belgian company with 15 years experience in the pharmaceutical field. Our company is based in the hearth of Europe, in the capital of Belgium and Europe, BRUSSELS.

HELIOS LABORATOIRES has been founded by pharmacists and scientists with the collaboration of doctors, to insure QUALITY & SAFETY and offer best products on the market.

All our products are commercialized in Belgium and present in most pharmacies of the country, but they are also prescribed by belgian doctors.

We can also provide :

-GENERIC MEDICINES

- BRANDED MEDICINES

Thanks to our GDP authorization number 2158 H

THE PRIORITIES FOR OUR PRODUCTS



- . R & D
- . SCIENTIFIC SUPPORT
- . SAFETY & QUALITY
- . EFFICIENCY
- . UNIQUE FORMULATIONS
- . BRANDED & PATENTED
INGREDIENTS SUPPORTED BY
CLINICAL STUDIES
- . RECOMMENDED DOSAGES
- . EASY POSOLOGIES
- . INNOVATION



. PRODUCTION STEPS

MADE IN E.U



IDEA



MARKET LANDSCAPE



Brainstorming on formulation in collaboration with doctors



Searching for **QUALITY** ingredients :



PATENTED



STANDARDIZED IN ACTIVE SUBSTANCES



EFFICIENCY + SAFETY



FORMULATION VALIDATION



PRODUCT REGISTRATION IN BELGIAN COMPETENT HEALTH AUTHORITIES



BELGIAN FEDERAL PUBLIC SERVICE FOR HEALTH (for Helios Laboratoires) validated by
NOTE NUMBER --> Labelling and Composition must be compliant to :

- European regulation 1925/2006
- Belgian Royal Decrees for plants and nutriment
- BELFRIT list
- EFSA allegations



AFMPS for medical devices --> CE marked products



FINAL VALIDATION by
HELIOS LABORATOIRES

Production of a **BATCH PILOT** trial according to :



Stability studies



Microbiological studies



HACCP : products are manufactured following ISO (22000, 9001,13485..) STANDARDS & GMP (Good Manufacturing Practice)



MANUFACTURING & BATCH RELEASE



FINISHED PRODUCTS

THERAPEUTIC AREAS



CARDIOVASCULAR



WOMEN'S HEALTH



URINARY TRACT



GASTROENTEROLOGY



HAIR & SKIN BEAUTY



WEIGHT CONTROL



IMMUNITY



PAIN & ARTICULATIONS



CHILDREN'S HEALTH



SKIN HEALTH



OPHTHALMIC

Note: Following brands are registered and are a property of Helios Laboratoires®. The box language will be adapted to the client's country request.

COLESTYL NG®

-  **UNIQUE INNOVATIVE FORMULATION**
-  **INGREDIENTS SYNERGY**
-  **5 SCIENTIFIC SUPPORT**
-  **SAFETY – NO SIDE EFFECTS**



 **1 TABLET / DAY**

CHOLESTEROL



Ingredients by tablet	Dosage
Chol4 patented (<i>Emblca Officinalis fruit</i>)	250 mg
Fenugreek (<i>Trigonella foenumgraecum L.</i>) seed dry extract	125 mg
Berberis aristata DC. Bark of branches dry extract 20% berberin	50 mg
Fermentated by <i>Monascus purpureus Oryza sativa L.</i> , fruit dry extract 5% total monacolin*	59,8 mg
Coenzyme Q10	20 mg

*according to maximal daily dosage of Monacoline authorized in Belgian reglementation

CLINICAL STUDIES :

A total of 98 dyslipidemic patients were enrolled and divided into amla and placebo groups. Amla extract (500 mg) or a matching placebo capsule was administered twice daily for 12 weeks to the respective group of patients. The patients were followed up for 12 weeks and efficacy of study medication was assessed by analyzing lipid profile.


1 Réf. Haridas Upadya 1, S Prabhu 2, Aravinda Prasad 3, Deepa Subramanian 4, Swati Gupta 5, Ajay Goel 6. A randomized, double blind, placebo controlled, multicenter clinical trial to assess the efficacy and safety of Emblica officinalis extract in patients with dyslipidemia 2019 Jan 22;19(1):27.



↓ TC (total cholesterol) ↓ LDL-C ↓ VLDL-C ↓ TG(triglycerides) ↑ HDL-C

INDICATIONS :

- CHOLESTEROL
- DYSLIPIDEMIA
- CARDIOVASCULAR HEALTH • METABOLIC SYNDROM (HYPERLIPIDEMIA + HYPERGLYCAEMIA + OBESITY)
- VISCERAL FAT REDUCTION




WHY IS COLESTYRAMINE SO UNIQUE ?

MODE OF ACTION



1/ CHOL4, a unique patented fruit extract from Emblica officinalis (AMLA)

- ✓ **Chol4** = Patented extract of Amla (Emblica Officinalis) standardised and rich in polyphenols and triterpenoids
- ✓ Amla = Indian gooseberry (Emblica Officinalis) very spread use traditionally
- Proven as SAFE by toxicity studies
- ✓ Rigorous clinical research supports its cardiac health benefits.
- Reduction of bad cholesterol (LDL-C), total cholesterol, ApoB-ApoA1 ratio and intima media thickening.
- ✓ Improves good cholesterol (HDL-C) and regulates triglycerides levels



CHOL4 = Inhibition of hepatic HMGCOA REDUCTASE --> Inhibition of Cholesterol Synthesis

2 / FENUGREEK

Lower Total cholesterol (TC)

Positive effect on hyperglycaemia demonstrated in several clinical studies^{2,3}



2 Réf. Jing Gong 1, Ke Fang 1, Hui Dong 1, Dingkun Wang 1, Meilin Hu 1, Fuer Lu 2 - Effect of fenugreek on hyperglycaemia and hyperlipidemia in diabetes and prediabetes: A meta-analysis J Ethnopharmacol. 2016 Dec 24;194:260-268.

3 Réf. Nithya Neelakantan 1, Madanagopal Narayanan, Russell J de Souza, Rob M van Dam - Effect of fenugreek (Trigonella foenum-graecum L.) intake on glycemia: a meta-analysis of clinical trials 2014 Jan.

3 / BERBERINE

Beneficial effects on :

Dyslipidemia : ↓↓ TC with **LESS** LDL-C and **MORE** HDL-C

Metabolic syndrome → berberine acts on hyperlipidemia, hypertension & glucose level^{5,6}

5 Babak Roshanravan^{1,2}, Shahnaz Yousefizadeh³, Betul Apaydin Yildirim⁴, Tahereh Farkhondeh⁵, Alireza Amirabadizadeh⁶, Milad Ashrafizadeh⁷, Marjan Talebi⁸, Saeed Samarghandian⁹, The effects of Berberis vulgaris L. and Berberis aristata L. in metabolic syndrome patients: a systematic and meta-analysis study Arch Physiol Biochem 2023 Apr;129(2):393-404.

6 Jiarong Lan¹, Yanyun Zhao², Feixia Dong³, Ziyou Yan⁴, Wenjie Zheng⁵, Jinping Fan⁶, Guoli Sun⁷, Meta-analysis of the effect and safety of berberine in the treatment of type 2 diabetes mellitus, hyperlipemia and hypertension 2015 Feb 23;161:69-81.Epub 2014 Dec 10.

4 / Red yeast rice Monacoline K :

More than 30 Clinical trials proves :

✓ Acts on lipid metabolism in patients with mild to moderate cardiovascular risk ⁷

» Lower LDL cholesterol

5 / Co-Enzym Q10 :

Antioxidant activity

Synergistic effect with Monacoline K and Berberine

Preventive action to avoid muscular pains

⁷ Semergen Effects of treatment with monacolin K, berberine and coenzyme Q10 on lipid metabolism in patients with moderate cardiovascular risk 2022 Sep;48(6):403-410.

COLESTYL FORTE = SYNERGY BETWEEN 5 INGREDIENTS TO COUNTERACT :

✓ MILD TO MODERATE CHOLESTEROL

TRIGLYCERIDES

✓ CARDIOVASCULAR HEALTH

✓ METABOLIC SYNDROME



EFFIGYN OVULES®

- BACTERIAL VAGINOSIS**
- MYCOTIC VAGINOSIS**
- VAGINAL DRYNESS**

INTIMATE WELLNESS

Ingredients by vaginal ovul

Acid boric

18 β glycyrrhetic acid

Policarbophil

Lactic acid

Vit A + E

Tea tree oil

1 OVUL A DAY BEFORE SLEEPING DURING 5 TO 7 DAYS



EFFIGYN CREAM®

- SOOTHES VAGINAL IRRITATIONS
- VAGINAL ITCHING
- MOISTURIZING
- RE-EPITHELIALIZATION PROCESS
- ENHANCE ELASTICITY



INTIMATE CARE ANO-GENITAL CREAM

Composition

Acid hyaluronic

Calendula

Chamomile

Currant

Lavender

Vitamine E

*Unique Synergy for
soothing &
restorative action
on vaginal mucosa*





EFFIGYN FERTI®

- CONCENTRATED FORMULA
- POWDER IN A SACHET
- PLEASANT NATURAL AROMA
- EFFICACY SUSTAINED BY CLINICAL TRIALS

WOMEN FERTILITY

Average values	In 1 stick pack (10ml)	%NRV(*)
Myo-Inositol	2000 mg	
Acetylcarnitine	500 mg	
N-acetylcysteine	200 mg	
Zinc bisglycinate	50 mg	
Folic Acid	400 mcg	200%
Vitamin D3	10 mcg = 400 UI	200%




INDICATIONS :

- WOMEN FERTILITY IMPROVEMENT
- REDUCTION OF SYMPTOMS (ACNE, PILOSITY, INSULINO-RESISTANCE...) FOR WOMEN WITH PCOS (POLYCYSTIC OVARY SYNDROME)







MULTIPLE CLINICAL STUDIES PROVE THE POSITIVE EFFECT OF EFFIGYN FERTI ON FERTILITY IMPROVMENT :

EFFIGYN FERTI EFFECT ON OVULATION




WHY IS EFFIGYN FERTI SO UNIQUE ?


1/ADVANTAGES

-  Excellent **assimilation**
 -  **Very HIGH bioavailibility** of components
 -  Better efficacy
 -  **PATENTED low temperature** emulsifying technology to avoid physical stress of ingredients
-  - **Palatability** : Good taste, with no artificial aroma's but natural Beet Juice + Stevia
-  - **Compliance** : 1 sachet per day - Powder easy to take in a glass of water

2 / Complete FORMULA :


-  **Myo-Inositol** : Several clinical studies show :

 **Crucial role in fertility : improve oocytes quality & correct oocyte growth** 8,9

 **Restaure physiological menstrual cycle in women with PCOS¹⁰**

-  **Zinc bisglycinate & Acid folic** : support female fertility¹¹

-  **N-acetylcysteine** : improvment of fertility (by acting on ovarian follicles¹²)

-  **Acetylcarnitine^{13,14}** : Antioxydant that protect against free radicals in female reproductive system¹²

8 [Caracciolo C, Caracciolo G, Giovanni Buzzaccarini, Vittorio Unfer, Antonio Simone Laganà, et al. \(1\) Myo-Inositol as a Key Supporter of Fertility and Physiological Gestation Published online 2021 May 25](#)

9 [Celentano C., Matarrelli B., Pavone G., Vitacolonna E., Mattei P.A., Berghella V., Liberati M.](#) The influence of different inositol stereoisomers supplementation in pregnancy on maternal gestational diabetes mellitus and fetal outcomes in high-risk patients: A randomized controlled trial. *J. Matern. Fetal. Neonatal Med.* 2018;33:743–751.

10 [Unfer V., Facchinetti F., Orrù B., Giordani B., Nestler J.](#) Myo-inositol effects in women with PCOS: A meta-analysis of randomized controlled trials. *Endocr. Connect.* 2017;6:647–658.

11 [Niccolò Miraglia, Elodie Dehay.](#) Folate Supplementation in Fertility and Pregnancy: The Advantages of (6S)5-Methyltetrahydrofolate 2022 May;28(4):12-17.

12 [Miwa Harada, Koji Kishimoto, Rika Hagiwara, Yoshifumi Nakashima, Kazunobu Kurisu, Yoshiro Kawaguchi.](#) Infertility observed in female rats treated with N-acetyl-L-cysteine: Histopathological examination of ovarian follicles and recovery of fertilit Congenit Anom (Kyoto). 2003 Sep;43(3):168-76.





EFFIGYN PREGNA®


- ✓ SINCE THE DESIRE FOR PREGNANCY
- ✓ DURING PREGNANCY
- ✓ DURING BREASTFEEDING

PREGNANCY VITAMINS

Quatrefolic : 5-méthyltétrahydrofolate glucosamine = 4th folate generation

Ingredients	Form	Quantity	%NRV(*)
Vitamine B1	thiamine HCl	1,1mg	100%
Vitamine B2	riboflavine-5'-phosphate	1,2mg	86%
Vitamine B3	Nicotinamid	14mg	87,5%
Vitamine B5	Calcium pantothenate	5mg	83%
Vitamine B6	pyridoxal-5'-phosphate	2,6mg	143%
Vitamine B8	Biotine	40µg	80%
Folic acid	5-methyltetrahydrofolate glucosamine or Quatrefolic®	450µg	225%
Vitamine B12	Methylcobalamin	4µg	160%
Vitamine C	acid L-ascorbic	55mg	69%
Vitamine D3	Cholecalciferol	15µg (600 UI)	300%
Vitamine E	alpha-tocopheryl succinat	6mg	50%
Iron	Ferronyl® iron complex	8mg	57%
Selenium	Sodium selenit	30µg	54%
Calcium	Calcium citrat	75mg	9,4%
Magnesium	Magnesium oxyd	40mg	10,7%
Zinc	Zinc bisglycinate	12mg	120%
Beta-carotene		4,8mg	
Choline	Choline bitartrate	75mg	80%
Iodine	Potassium iodide	150µg	100%

1 TABLET / DAY AFTER BREAKFAST







Ferronyl® :

- Elemental iron (Fe) with high (> 98%) iron content
- Small particles : Excellent bioavailability demonstrated in clinical studies compared to ferrous salts (sulfate, fumarate, gluconate...)
- Minimal metallic taste

 **x30** tablets / BOX
 **FOOD SUPPLEMENT**



-  SUPERIOR ABSORPTION
-  NO METALLIC TASTE
-  NO SIDE EFFECTS
-  NO INTERACTION WITH FOOD
(can be administrated during or after meal and not necessary before)


MICRO-ENCAPSULATED IRON

INDICATIONS :

- IRON DEFICIENCY
- FORMATION OF RED CELLS
- TIREDNESS
- NORMAL DEVELOPMENT OF IMMUNE SYSTEM & COGNITIVE SYSTEM
- NORMAL ENERGY METABOLISM

WHAT IS IRON DEFICIENCY : ANAEMIA ?

» The main disorder in the world today




» Globally, anaemia affects 1,62 billion people, which corresponds to 24,8% of the population



Ingredients	Dosage	%NRV
Micro-encapsulated Iron	30 mg	214
Vitamin B12 = methylcobalamin	500 µg	20.000 %


 1 TABLET / DAY ON MORNING

ABSORPTION OF EFFIGYN IRON VS IRON FUMARATE



» Iron absorption with Effigyn Iron is **5x higher** than with traditional iron salts

SERUM FERRITIN AFTER 16 WEEKS OF EFFIGYN IRON INTAKE



» Ferritin : **80 % HIGHER** after 16 weeks with Effigyn IRON compared to Placebo

 **x30** tablets / BOX
» **FOOD SUPPLEMENT**



URIPRO FORTE®

✓ OUR TOP 1 SALES IN BELGIUM MARKET



ACTIVE COMPOUNDS HIGHLY CONCENTRATED

URINARY TRACT INFECTIONS

INDICATIONS :

- PREVENTION & TREATMENT OF URINARY TRACT INFECTIONS
- DIURETIC & DEPURATIVE ACTION ON RENAL FONCTION
- EFFECTIVE FOR WOMEN AND ALSO FOR MEN

Ingredients	Dosage	%NRV
D-Mannose	500 mg	321
Cranberry Standardized dry extract 30% PAC's (proanthocyanidins)	120 mg	
Nettle root dry extract standardized 0.8 % beta-sitosterols	120 mg	
Vitamine C (Acid L-ascorbic)	80 mg	100 %
Vitamine D (Cholecalciferol)	200 UI	100 %


PREVENTIVE :

1 TABLET / DAY


CURATIVE

2 TABLET / DAY IN 1 INTAKE DURING 5 DAYS

HOW DOES ESCHERICHIA COLI PROVOKE URINARY INFECTION ?



» URIPRO FORTE® = SOLUTION against UTI



» **PAC'S** **Neutralize** type P-Pili

» **D-MANNOSE** **Neutralize** type 1-Pili



ELIMINATION OF E. COLI ✓

» **Synergistic action** of cranberry PAC's & **D-MANNOSE** ^{15,16}

» **Inhibit** pili situated on bacteria **Escherichia Coli**



NO ADHESION ON BLADDER



NO INFECTION



✓ **NETTLE ROOT EXTRACT**
Standardized 0,8% Betasitosterols

- ANTI-INFLAMMATORY for Urinary Tract
- POSITIVE EFFECT on Miction for men with BPH

✓ **Vitamin C : Immunity boost during infection**

✓ **VIT.D : Deficiency is associated with UTI increase** ¹⁷

¹⁵ Babar Asma ¹², Leblanc Vicky ², Dudonne Stephanie ², Desjardins Yves ², Howell Amy ³, Dodin Sylvie ^{4,5} Standardised high dose versus low dose cranberry Proanthocyanidin extracts for the prevention of recurrent urinary tract infection in healthy women [PACCANN]: a double blind randomised controlled trial protocol BMC Urol 2018 May 2;18(1):29.

¹⁶ Rena Kyriakides¹, Patrick Jones¹, Bhaskar K Somani² Role of D-Mannose in the Prevention of Recurrent Urinary Tract Infections: Evidence from a Systematic Review of the Literature . 2021 Sep;7(5):1166-1169.

¹⁷ herein abdelhamid shalaby¹, nesrein mosad handoka², rasha emad amin **Vitamin D** deficiency is associated with urinary tract infection in children novel strategies in the prevention and treatment of urinary tract infections

 **x20** tablets / BOX
FOOD SUPPLEMENT



MEN-S®

- ✓ **SEXUAL PERFORMANCE FOR MEN**
- ✓ **SEXUAL VITALITY**
- ✓ **PHYSICAL AND INTELLECTUAL STIMULATION**


SEXUAL HEALTH WITH MACA







Ingredients per capsule	Dosage
Maca (<i>Lepidium meyenii</i>)	250 mg
L-CITRULLINE	200 mg
MAGNESIUM OXIDE	80 mg
ZINC OXIDE	12,45 mg
VITAMINE B6	2 mg

1 TO 2 CAPSULES / DAY

 **x20** capsules / box
FOOD SUPPLEMENT

DIOMEXYL NG®



-  **ABSORBANT AND SOOTHING GEL**
-  **COMPOSED BY VEGETAL TANINS AND MARSH MALLOW : NORMALIZED STOOLS**
-  **SACCHAROMYCES BOULARDII (YEAST)**
-  **8 PROBIOTICS STRAINS**
-  **INULIN PREBIOTIC**
-  **OPTIMIZATION OF INTESTINAL FLORA**

NORMAL STOOLS

Ingredients for each capsule(gastro-resistant)	Dosage
Grape seeds extract standardized 95% tannin polyphenols ¹⁸	300 mg
Saccharomyces boulardii CFU 1,5 billion	75 mg
Inulin ¹⁹	50 mg
Mulberry leaves extract	30 mg
Marshmallow roots powder	30 mg

Lactic ferments :	3,15 billion
Lactobacillus rhamnosus	0,59
Streptococcus thermophilus	0,59
Lactobacillus casei	0,35
Bifidobacterium infantis	0,3
Bifidobacterium longuum	0,17

ADULTS & CHILDREN FROM 12 YEAR



1 TO 2 CAPSULES 3 TIMES PER DAY UNTILL END OF SYMPTOMS

¹⁸arina Russo ¹, Vincenzo Coppola ¹, Eleonora Giannetti ¹, Roberta Buonavolontà ¹, Antonio Piscitelli ¹, Annamaria Staiano ² Oral administration of tannins and flavonoids in children with acute diarrhea: a pilot, randomized, control-case study Ital J Pediatr 2018 Jun 4;44(1):64.

¹⁹SPGHAN Working Group on Probiotics and Prebiotics; Hania Szajewska, Zvi Weizman, Mona Abu-Zekry, Alemka Jaklin Kekez, Christian P Braegger, Sanja Kolacek, Dusanka Micetic-Turk, Marek Ruszczyński, Tamara Vukavic Inulin and fructo-oligosaccharides for the prevention of antibiotic-associated diarrhea in children: report by the ESPGHAN Working Group on Probiotics and Prebiotics Randomized Controlled Trial J Pediatr Gastroenterol Nutr. 2012 Jun;54(6):828-9.

 **x15** gastro-resistant capsules / box
FOOD SUPPLEMENT

NOFLU-G®



- GASTROINTESTINAL REFLUX & ACIDITY
- HEARTBURNS
- GASTRIC PAIN
- REFLUX DURING PREGNANCY
- OESOPHAGITIS

REFLUX AND GASTRIC ACIDITY


Ingredients by tablet	Dosage
Calcium Carbonate	400 mg
Sodium Alginate	250 mg
<u>Patented complex MUCO3 :</u>	
-MARSHMALLOW root (<i>Althaea officinalis</i>)	100 mg
-OPUNTIA cladodes (<i>Opuntia Ficus indica</i>) containing polysaccharides	75 mg
-OLIVE leaves (<i>Olea Europa</i>) containing Oleuropein	25 mg

IMPORTANT MUCOADHESIVE PROPERTIES OF OUR PATENTED PLANT EXTRACTS




» **30 % STRONGER** than hyaluronic acid > healing effect ON GASTRIC MUCOSA

» **SYNERGISTIC action** with alginate /calcium carbonate



CLINICAL STUDIES : RANDOMISED DUBBLE BLIND VERSUS PLACEBO - 108 VOLUNTEERS BETWEEN 36-64 YEARS OLD



» **-70 %** symptoms related to gastric disorders thanks to Noflu-G

✓ **Synergy** of 3 components Alginate / CarbCa / MUCOÏÆ

■ **Interesting results on two important symptoms :**

»»» **HeartBurns & REGURGITATION**

✓ »»» **Gastric Pain**

Reference Alecci U, et al., Efficacy and safety of a natural remedy for the treatment of gastroesophageal reflux : a double-blind randomized-controlled study. Evidence Based Complementary and Alternative Medicine vol.2016, 8 pages (2016).

Quality assurance : informed consent and clinical trial Ethics Committee approval in accordance with ICH and GCP.

Questionnaires 1) Gastroesophageal reflux Disease-Health-Related Quality of life (GERD-HRQL) 2 GERD symptom assessment scale (GSAS).

»» **ADVANTAGES OF / OFLU-G :**





- **High dosed formulation**
- **Efficacy supported by clinical studies**
- **Specific and patented ingredients**
- **Swallowable tablets : no problem of taste**
- **Easy posology : 1 tablet / day**

 **x30** tablets / BOX

»» **FOOD SUPPLEMENT**



GINGEST B6 LIQUI®

-  NAUSEA
-  NAUSEA DURING PREGNANCY
-  VOMITING FOR CHILDREN & ADULTS
-  BAD DIGESTION

DIGESTIVE WELLNESS – PROKINETIC

*VNR= Reference nutritional values

Ingredients	In 15 ml	%VNR*	In 30 ml	%VNR*
E. Glyceric Fig	105 mg	--	210 mg	--
ES Carvi	30 mg		60 mg	
FOS	45 mg		90 mg	
E.F. Fennel	50 mg		100 mg	
Sodium alginate	300 mg		600 mg	
Hyaluronic acid	5 mg		10 mg	
Vitamin B6	0.6 mg	42.8%	1.2 mg	85.7%

**CHILDREN FROM
2 YEARS TO 6**

**YEARS OLD
1 STICK / DAY**



**CHILDREN FROM
6 TO 12**

1 STICK 2x / DAY










**ADULTS & PREGNANT
WOMEN**

1 STICK 3x / DAY



**TO TAKE
AS NEEDED,
BEFORE
MEALS
OR WHEN
SYMPTOMS
APPEAR.**

-  **Sodium alginate** : calms heartburns due to vomiting
-  **Fig glyceric extract (Ficus Carica)**: against nausea, vomiting, and bad digestion. Children, adults & pregnant women.
-  **Carvi** : Digestive juices production → Better digestion + antispasmodic action
-  **FOS** : prebiotic effect
-  **Fennel** : positive action on digestion
-  **Hyaluronic acid** : cicatrizing effect on irritation of esophagus due to vomiting
-  **Vitamin B6** : prokinetic action on stomach, especially during pregnancy

ADVANTAGES

- Suitable for children and pregnant women
- Easy stick pack
- Good taste
- SAFETY¹ & EFFICIENCY² during PREGNANCY

x20 stick packs of 15 ml emulsion / BOX
FOOD SUPPLEMENT



¹Physicochemistry, Nutritional, and Therapeutic Potential of Ficus carica – A Promising Nutraceutical Muhammad Fattah Fazel 1,2, Izuddin Fahmy Abu 1,; Published: 20 March 2017 Efficacy of alginate-based reflux suppressant and magnesium-aluminium antacid gel for treatment of heartburn in pregnancy: a randomized double-blind controlled trial Pontip Meteorattanapit & Vorapong Phupong Scientific Reports volume 7, Article number: 44830 (2017);²J Ethnopharmacol 2008 Sep 2;119(1):1-5 doi: 10.1016/j.jep.2008.05.040. Epub2008Jun Ethnopharmacological studies on antispasmodic and antiplatelet activities of Ficus carica

REGULA TABS®

 ACUTE & CHRONIC CONSTIPATION

 ASSOCIATED WITH BLOATING




LAXATIVE BASED ON NATURAL EXTRACTS

Ingredients by tablet	Dosage
RHUBARB	200 mg
Of which 5% rhein	10 mg
Wild mallow (Malva sylvestris)	75 mg
Aloe dry extract	20 mg
Titrated 20% barbaloïne	4 mg
Coriander seeds powder	75 mg
Kiwi powder	30 mg

 **1 TO MAXIMUM 2 TABLETS. AT THE EVENING. FROM 12 YEARS OLD.**

 **Rhubarb & Aloe** : Contact laxatives

 **Mallow** : Emollient laxative

 **Kiwi powder** : Fibers acting as prebiotics → flora regulation

 **Coriander** : bloating & antispasmodic effect

 **x30** tablets / BOX
 **FOOD SUPPLEMENT**



BELLMISS SKIN LIFT®

- ✓ VEGAN COLLAGEN BOOSTER
- ✓ LIFT ACTION
- ✓ ANTI-AGING
- ✓ SKIN GLOW

NEW GENERATION SKIN BEAUTY

Ingredients by capsule	Dosage
Patented HyaluSkin = HYALURONIC ACID 100 mg + GRAPE SEEDS 100 MG + Vitamin C 16,5 mg + Zinc bisglycinate 75 mg	291,5 mg
Hibiscus	50 mg

1 CAPSULE / DAY

WHY IS BELLMISS SKIN LIFT SO UNIQUE ?



PATENTED Synergistic formula composed of :

- ✓ **French grape seeds** in monomers of flavonols **protect collagen fibers from enzymatic degradation**
 - ✓ **HYALURONIC ACID** : SKIN THINNING & REDUCES WRINKLES
 - ✓ **Coated Vitamin C** : Antioxydant
 - ✓ **Zinc citrate** : supports collagen production
 - ✓ **Hibiscus** : plant rich in POLYPHENOLS
- **delay appearance of wrinkles**

ACTIVE AGAINST SKIN OXIDATION




> AGE-DEFYING FORMULA
> FULL SKIN MATRIX PROTECTION
> PREVENTION OF WRINKLES

84%
SEE AN IMPROVEMENT OF SKIN ELASTICITY

11 days
TO NOTICE THE FIRST BENEFICES

80%
OF PRESERVED ELASTIC FIBERS

HIBISCUS : COLLAGEN PROTECTION



» **Inhibition of elastase and preservation of elastic fibers**
+80 % of preserved elastic fibers


FULL EFFECT ON FIRST SIGNS OF AGING

Aging affects skin beauty in multiple ways. A dermatologist evaluated **Collaskin** ability to slow down the aging process.



DERMATOLOGICALLY OBSERVED RESULTS


VISIBLE BENEFITS



QUICK EFFICIENCY



CONSUMERS ARE SATISFIED



- **Increases body natural COLLAGEN production**
- **Demonstrated Synergistic mechanism of action**
- **Complete skin protection with primary & secondary antioxidants**
- **CLINICALLY PROVEN efficacy under dermatological control**

 **x30** vegan capsules / box
FOOD SUPPLEMENT

BELLMISS HAIR®

1 CAPSULE / DAY



HAIR LOSS



HAIR BEAUTY



BRITTLE NAILS



STRONG HAIR & HEALTHY NAILS


Ingredients by CAPSULE	Dosage
CYNAKERATINE = Patented Keratine hydrolyzed	100 mg
Millet seeds dry extract (Panicum miliaceum)	75 mg
BETA-GLUCAN from Saccharomyces cerevisiae	133 mg
Stem of bamboo dry extract 70% silicium	25 mg
Horsetail standardized extract (Equisetum arvense L.)	25 mg
L-Cystine	100 mg
L-Méthionine	50 mg
Zinc (oxyde)	15 mg
Iron	14 mg
Vitamine E	11 mg
Vitamine B5	6 mg
Biotin	0,15 mg

Millet: cereal rich in Vitamins E, B6, thiamin, riboflavin, biotin, Proteins, amino-acids, potassium, Oligo-elements (Fe, Zn, Mg)

Yeast brewer's (Saccharomyces cerevisiae): Stimulates keratin production, rich in Vitamin's B-group, especially B1, contains protein & oligo-elements

Bamboo standardized 70% silicium: essential against hair loss & enhance hair quality

Horsetail: rich in Silicium & tones scalp by micro-circulation → hair growth




PREVENTIVE & COMPLETE CARE FROM WITHIN
PATENTED NATURAL HYDROLYZED SOLUBLE KERATIN
CLINICAL STUDIES & BIO AVAILABLE OLIGOPEPTIDES

BELLMISS HAIR

- Decreases HAIR LOSS
- Improves composition of hair
- Increases Volume, Shine & Radiance
- Stimulates regrowth of healthy hair



THE DOMINANT CONTRIBUTOR IN THE COMPOSITION OF HAIR IS KERATIN, ACCOUNTING FOR 90% OF HAIR FIBER. KERATIN IS A COMPOUND FORMED OF ESSENTIAL AMINO ACIDS WITHIN WHICH CYSTEINE CAN BE FOUND.




CYSTEINE FOUND IN WOOL CANNOT BE NATURALLY DIGESTED BY THE BODY. THE LIQUID AND PATENTED PROCESS OF KERAT-INNOV DELIVERS CYSTEINE IN A TRI-PEPTIDE FORM WHICH SIMPLIFIES THE ABSORPTION RATE.

HOW DOES IT WORK ?

CONCLUSIONS OF IN VIVO DOUBLE-BLIND PLACEBO-CONTROLLED CLINICAL STUDIES

(by Complife Italia Srl | 50 female and 50 male | 90 days)



HAIR PULL TEST

Gentle traction is provided to a total of approximately 60 hair in three areas of the scalp and the total number of hair extracted is counted

- Cynakeratine® reduced hair loss around 3 times more than placebo at 30, 60, and 90 days
- Reduced hair loss from everyday activities can be seen in only 30 days
- Supported healthy hair growth


active placebo

ANAGEN/TELOGEN PHASE HAIR TEST

Computerized analysis to determine how many hair were growing (Anagen phase) and how many hair died (Telogen phase) over period considered


- Cynakeratine® increased the number of hair in the Anagen phase and reduced the number of hair in Telogen phase after 90 days
- Consistent results were achieved on both men and women
- Cynakeratine®'s effect over placebo was greater than 4.5 times for all groups

active placebo



HAIR BRIGHTNESS ANALYSIS

Evaluated by dermatologist at each timeline according to clinical scores



- Cynakeratine® increased the shine and brightness of hair after only 30 days
- Incremental results are observed over 60 and 90 days
- Cynakeratine® improved hair condition, shine, and brightness

** p < 0.001 *** p < 0.001 between group to baseline

active placebo

Thanks to its patented process, Cynakeratine® provides highly bioavailable Keratine Oligopeptides. Cynakeratine® stimulates Keratinocyte's activity boosting cellular regeneration and improving Hair's Aminoacidic Profile. Stronger Hair structure can be appreciated for better resistance to traction and greater Anagen phase. Cynakeratine® allow your Hair to grow stronger, healthier, and shinier.

BELLMISS WEIGHT CONTROL®



WEIGHT LOSS



ABDOMINAL
CIRCUMFERENCE



GLUCOSE METABOLISM



FAT BURNER



Ingredients by capsule	Dosage
Amorphophallus konjac racine (glucomannane)	527 mg
Gymnema sylvestris dry extract	30 mg
Ananas comosus dry extract	20 mg



2 CAPSULES A 1/2 HOUR BEFORE MEALS

- **Glucomannan** : soluble, fermentable, and highly viscous dietary fiber derived from the root of the elephant yam or konjac plant (native to Asia). Well-tolerated and resulted in significant weight loss in overweight and obese individuals by promoting satiety. Improves lipid and lipoprotein parameters and glycemic status *Réf. Altern Ther Health Med. 2005 Nov-Dec;11(6):30-4. Glucomannan and obesity: a critical review Joyce Keithley 1, Barbara Swanson Affiliations Expand PMID: 16320857*
- **Gymnema sylvestris dry extract** : **Bioactive compound = Gymnemic acid**:
 - Anti-obesity & antidiabetic properties,
 - Decreases body weight & inhibits glucose absorption,
 - Regulation of carbohydrate and lipid metabolism *Réf. J Sci Food Agric. 2014 Mar 30;94(5):834-40. doi: 10.1002/jsfa.6458. Epub 2013 Nov 19. A systematic review of Gymnema sylvestre in obesity and diabetes management-Ramesh Pothuraju 1, Raj Kumar Sharma, Jayasimha Chagalamarri, Surender Jangra, Praveen Kumar Kavadi*



x30 capsules / box

FOOD SUPPLEMENT



IMMUSTYL TABS®








- IMMUNITY
- EYES
- SKIN
-

IMMUNITY

Ingredients	Dosage
Zinc (from Zinc bisglycinate)	15 mg

 1 TABLET / DAY

ZINC contributes to :

-  Normal acid-base metabolism
-  Normal carbohydrate metabolism
-  Normal cognitive function
-  Maintain of normal testosterone levels in the blood
-  Normal fertility and reproduction
-  Maintaining normal bones
-  Maintain of a normal vision



30 tablets / BOX

FOOD SUPPLEMENT

FLEXIGO DUO®






-  PAINFUL ARTICULATIONS
-  CARTILAGE PROTECTION
-  MUSCLE
-  SPORT



ARTICULATIONS

Ingredients for each vegetal capsule	Dosage
Patented Curcuma dry extract standardized 95% curcu-minoids (Curcuma longa)	350 mg
Boswellia dry extract standardized 65% boswellic acids (Boswellia serrata)	150 mg
From which 10% AKBA	10 mg

 **1 CAPSULE / DAY**


-  Vegan capsule HPMC
-  70% of the Curcuma is in the form of the essential oil extract
-  Standardized in curcuminoids and contains 70% curcumin
-  30 clinical studies support efficacy of our Curcuma extract ^{20,21}
-  Special boswellia extract standardized 10% AKBA → Cartilage regeneration

 **Patented Curcuma Extract**

Inhibition of Prostaglandines 

 **Boswellia extract**

Inhibition of Leucotrienes 



²⁰es Henrotin ^{1,2}, Yvan Dierckxsens ³, Gaëlle Delisses, Laurence Seidel ⁴, Adelin Albert ^{4,5} Curcuminoids and Boswellia serrata extracts combination decreases tendinopathy symptoms: findings from an open-label post-observational study. 2021 Mar;37(3):423-430.

²¹es Henrotin ^{1,2}, Yvan Dierckxsens ³, Gaëlle Delisse ³, Nathalie Maes ⁴, Adelin Albert ^{4,5} Curcuma longa and Boswellia serrata extract combination for hand osteoarthritis: an open-label pre-post trial PharmBiol 2022 Dec;60(1):2295-2299

 **x90 capsules / box**
 **FOOD SUPPLEMENT**



FLEXIGO EMULGEL®

- PAINFUL MUSCLES
- ARTHRORHEUMATIC
- ARTICULATIONS
- TENDON PAINS
- INJURIES

PAIN - ARTICULATIONS

 **HARPAGOPHYTUM + ARNICA + Ozonized olive oil**

- Anti-inflammatory
- Articular & rhumatic pain

 **ESCIN+BETASITOSTEROL**

- Contusions

 • Decontracting effect on muscles

 **CAMPHOR + MENTHOL**

- Refreshing & calming effect



**HIGH SAFETY (NO
SIDE EFFECTS)**



Inhibition of Prostaglandines 



x1 Emulgel tube

100 ml

 **MEDICAL
DEVICE CLASS 1**

MYKID PROBIO®



- ACUTE DIARRHEA FOR CHILDREN & BABIES ²²
- INFANT COLIC
- INTESTINAL FLORA
- IMMUNE SYSTEM WELLNESS
- GLUTEN FREE


INTESTINAL WELLNESS FOR CHILDREN

Ingredients by capsule	In 0,5 ml
Lactobacillus Gasseri	0,4x10 ⁹
Lactobacillus Reuteri	0,4x10 ⁹
Lactobacillus plantarum	0,5x10 ⁹
Bifidobacterium longum	0,4x10 ⁹
Bifidobacterium lactis	0,3x10 ⁹

4 DROPS 1 X / DAY

» FOOD SUPPLEMENT

X1 Bottle of 10 ml



²² [Marias Bel Berlanga and David Miñana-Galbis: Health Benefits of Heat-Killed \(Tyndallized\) Probiotics: An Overview Published online 2019 May 23.](#)



MYKID D3®

- BONES
- IMMUNITY

VITAMIN FOR GROWTH

Ingredients	In 4 drops	% NRV*
Vitamine D3	10 µg = 400 IU**	200%

4 DROPS / DAY
OR FOLLOWING MEDICAL RECOMMENDATIONS



Vitamin D (= LIPOSOLUBLE Vitamin) is useful for

- Normal absorption of Calcium and Phosphorus
- Preservation of normal structure of bones and teeth

*Nutrient Reference Values
**International Units



MYKID IRON®

- IRON DEFICIENCY ²³
- NORMAL DEVELOPMENT OF IMMUNE SYSTEM
- NORMAL GROWTH OF MUSCLES, TEETH, AND BONES

CHILDREN IRON - SUGAR & GLUTEN FREE

Ingredients	In 1 ml	% NRV*
Patented Iron	7 mg	50 %
Vitamine D3	200 UI	100%

Unique formulation with 7 mg iron/ml :

- Micronized and encapsulated elementar Iron
- No side effects (metallic taste, intestinal disorders ...)
- Superior absorption and assimilation
- No interactions with food substances



MODE OF USE : 1 ML / DAY

- UNIQUE TECHNOLOGY DEVELOPPED WITH R&D FOR PLEASANT TASTE &**
- PALATIBILITY : GOOD COMPLIANCE**

Micronized, Microencapsulated Ferric Iron Supplementation in the Form of >Your< Iron Syrup Improves Hemoglobin and Ferritin Levels in Iron-Deficient Children: Double-Blind, Randomized Clinical Study of Efficacy and Safety

by Aida Zečkanović ¹ORCID, Marko Kavčič ¹, Tomaž Prelog ¹, Alenka Šmid ² and Janez Jazbec ¹, ¹ORCID

¹Department of Pediatric Hematology and Oncology, University Children's Hospital, University Medical Centre Ljubljana, Bohoričeva ulica 20, 1000 Ljubljana, Slovenia

MYKID LAX®

REGULARITY OF INTESTINAL TRANSIT

EMOLLIENT ACTION

FOS & GOS PROMOTE INTESTINAL FLORA



Ingredients	In 10 ml
Psyllium	100 mg
Acacia fiber	1000 mg
Fennel Fluid Extract	1000 mg
Mannitol	250 mg
Plum Juice	500 mg
Fig Glyceric Extract	70 mg
FOS	150 mg
GOS	150 mg



FOOD SUPPLEMENT



Bottle of 100ml

MYKID APPETIT®

STIMULATION APPETITE

IMMUNITY

WITH LYSINE & SPIRULINE



WITH FENUGREC, LYSINE, SPIRULINE, FOLIC ACID + VITAMINS

Ingredients	In 5 ml	% NRV*
L-LYSINE	100 mg	-
Spiruline powder	70 mg	
Fenugrec	75 mg	
Vitamin PP(B3)	16 mg	100 %
Vitamin B5	6 mg	100 %
Vitamin B6	1,4 mg	100 %
Vitamin B2	1,4 mg	100 %
Vitamin B1	1,1 mg	100 %
Folic Acid	200 µg	100 %
Biotin (Vit.H)	50 µg	100 %
Vitamin B12	10 µg	400 %

5 ML / DAY AFTER BREAKFAST



SYRUP. FOOD SUPPLEMENT



Bottle of 100ml



DERMOHEAL®

- ✓ SPECIFICALLY DESIGNED TO FAVOR REGENERATION PROCESSES OF THE SKIN
- ✓ SOOTHS ITCHING DUE TO SKIN IRRITATIONS AND INFLAMMATIONS
- ✓ FOR FACE & BODY
- ✓ BABIES (SINCE BIRTH), CHILDREN AND ADULTS

- TREATMENT OF SCARRS
- SOOTHING IRRITATIONS

BETAGLUCAN :

- Stimulates & speeds up cell regeneration

HYALURONIC ACID :

- ✓ Helps to maintain the right degree of hydration of the dermis
- Soothing the symptoms due to skin irritations

MANNITOL :

- ✓ Smooths, hydrates, elasticizes and is ideal against irritation and inflammation

ARBUTIN :

- Accelerates scars treatment & regulates skin pigmentation

SUCRALFATE :

- ✓ Soothes irritations & itching
- Skin regeneration

ZINC SULFATE :

- Antimicrobial activity & soothes heated skins


ZANTHALENE :

- Powerful calming effect

PHYSICAL INJURY



SUNBURNS




ITCHING



STICHES



SCHEMATIC DEPICTION OF B-GLUCAN PLURIPOTENT MECHANISMS IN WOUND HEALING²⁴



²⁴Juraj Majtan,*, and Milos Jesenak. β-Glucans: Multi-Functional Modulator of Wound Healing 2018 Apr; 23(4): 806.





NOVADROPS®



-  **DRY EYES**
-  **TIRED EYES**
-  **RED EYES**
-  **POLLUTION**

EYE DROPS

 **Hyaluronate Sodium 0,1% :**
Moisturizing for dry eyes

 **Perilla dry extract 0,1% (polyphenols > 2,5%) :**
Antioxidant and anti-allergic action for red eyes and tired eyes

 **2 TO 3 DROPS UNTIL 3X / DAY**

- WITHOUT PRESERVATIVES - 3 MONTHS AFTER OPENING - SUITABLE WITH CONTACT LENSES



x1 Bottle of 10ml

MEDICAL DEVICE class 2



BELGIAN QUALITY NUTRACEUTICALS LOOKING FOR DISTRIBUTORS

HELIOS LABORATOIRES

Avenue Louise 523
1050 Brussels - BELGIUM

VAT 0682.952.155

contact@helioslaboratoires.be

